

EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	107	(NVID "near video on demand" staggered) AND ((singelcast "single cast" ((dedicat\$3 exclusive assign\$4 allocat\$3 particular limited) NEAR2 (channel path transmission delivery)) narrowcast unicast) SAME (Pause restart resume))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/05/07 07:08
L2	2991	(NVID "near video on demand" staggered) AND ((singelcast "single cast" ((dedicat\$3 exclusive assign\$4 allocat\$3 particular limited single one unitary) NEAR2 (channel path transmission delivery)) narrowcast unicast) AND ("trick play" Pause restart resume))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/05/07 07:10
L3	1517	2 AND ((@ad <= "19991013") or (@rlad <= "19991013"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/05/07 07:10
L4	141	3 AND "725"/\$.ccls.	US-PGPUB; USPAT; DERWENT	OR	ON	2011/05/07 07:11
L5	2	("6993788").URPN.	USPAT	OR	ON	2011/05/07 07:13
L6	315	3 AND "348"/\$.ccls.	US-PGPUB; USPAT; DERWENT	OR	ON	2011/05/07 09:39
L7	218	6 NOT 4	US-PGPUB; USPAT; DERWENT	OR	ON	2011/05/07 09:39
L8	57	3 AND "709"/\$.ccls.	US-PGPUB; USPAT; DERWENT	OR	ON	2011/05/07 10:46
S1	68	725/8	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/27 18:22

S2	54	725/8 AND ((@ad <= "19991013") or (@rlad <= "19991013"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/27 18:24
S3	30	725/89 AND ((@ad <= "19991013") or (@rlad <= "19991013"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/24 17:10
S4	28	(725/89 AND ((@ad <= "19991013") or (@rlad <= "19991013")) NOT (725/8 AND ((@ad <= "19991013") or (@rlad <= "19991013"))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/24 17:10
S5	136	725/134 AND ((@ad <= "19991013") or (@rlad <= "19991013"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/24 17:10
S6	122	(725/134 AND ((@ad <= "19991013") or (@rlad <= "19991013")) NOT (((725/89 AND ((@ad <= "19991013") or (@rlad <= "19991013")) NOT (725/8 AND ((@ad <= "19991013") or (@rlad <= "19991013")))) (725/8 AND ((@ad <= "19991013") or (@rlad <= "19991013"))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/24 17:14
S7	1731	725/8 725/60 725/86-102. ccls. 725/134 725/142	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/24 17:16
S8	586	(725/8 725/60 725/86-102. ccls. 725/134 725/142) AND ((stor\$3 memory cache download\$3 buffer) NEAR3 (portion segment preview 'lead-in' lead section))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/15 20:16
S9	381	((725/8 725/60 725/86-102. ccls. 725/134 725/142) AND ((stor\$3 memory cache download\$3 buffer) NEAR3 (portion segment preview 'lead-in' lead section))) AND ((@ad <= "19991013") or (@rlad <= "19991013"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/24 17:22

S10	152	(725/8 725/60 725/86-102.ccls. 725/134 725/142) AND ((stor\$3 memory cache download\$3 buffer) NEAR3 (lead\$3 first initial beginning preview) NEAR3 (part portion segment preview 'lead-in' lead\$3 section))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/24 17:21
S11	97	((725/8 725/60 725/86-102.ccls. 725/134 725/142) AND ((stor\$3 memory cache download\$3 buffer) NEAR3 (lead\$3 first initial beginning preview) NEAR3 (part portion segment preview 'lead-in' lead\$3 section))) AND ((@ad <= "19991013") or (@rlad <= "19991013"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/24 17:22
S12	3659	725/8 725/87-102.ccls. 725/61 725/131-153.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/15 20:15
S13	47939	((stor\$3 memory cache download\$3 buffer) WITH ((portion segment section) NEAR3 (preview 'lead-in' lead beginning first advertisement)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/10 16:56
S14	257	(725/8 725/87-102.ccls. 725/61 725/131-153.ccls.) AND (((stor\$3 memory cache download\$3 buffer) WITH ((portion segment section) NEAR3 (preview 'lead-in' lead beginning first advertisement))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/15 20:18
S15	163	((725/8 725/87-102.ccls. 725/61 725/131-153.ccls.) AND (((stor\$3 memory cache download\$3 buffer) WITH ((portion segment section) NEAR3 (preview 'lead-in' lead beginning first advertisement)))))) AND ((@ad <= "19991013") or (@rlad <= "19991013"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/15 23:29
S16	26639	((video movie broadcast event) NEAR2 (demand request\$3)) or 'VOD' 'V-O-D' or 'N-V-O-D' or 'N-VOD' or 'NVOD' or (pay NEAR2 view) or 'PPV' or 'P-P-V'	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/15 20:28

S17	68	((((video movie broadcast event) NEAR2 (demand request\$3)) or 'VOD' 'V-O-D' or 'N-V-O-D' or 'N-VOD' or 'NVOD' or (pay NEAR2 view) or 'PPV' or 'P-P-V') SAME (((stor\$3 memory cache download\$3 buffer) WITH ((portion segment section) NEAR3 (preview 'lead-in' lead beginning first advertisement))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/15 20:28
S18	41	((((video movie broadcast event) NEAR2 (demand request\$3)) or 'VOD' 'V-O-D' or 'N-V-O-D' or 'N-VOD' or 'NVOD' or (pay NEAR2 view) or 'PPV' or 'P-P-V') SAME (((stor\$3 memory cache download\$3 buffer) WITH ((portion segment section) NEAR3 (preview 'lead-in' lead beginning first advertisement)))) AND ((@ad <= "19991013") or (@rlad <= "19991013"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/15 20:28
S19	54	725/8 AND ((@ad <= "19991013") or (@rlad <= "19991013"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/07 10:06
S208	25	"5530754"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/07 10:06
S209	23	S208 AND ((@ad <= "19991013") or (@rlad <= "19991013"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/07 16:27
S210	2	"6411725".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/07 14:15
S211	2	"6481013".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/07 16:16
S212	477	725/89 725/134 725/142	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/07 16:16

S213	133	S212 AND ((@ad <= "19991013") or (@rlad <= "19991013"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/07 16:54
S214	52	S213 AND ((stor\$3 buffer cache memory DVD disc disk\$4) NEAR4 (portion segment 'lead-in'))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/07 16:52
S215	5060	(minute beginning) WITH ((stor\$3 buffer cache memory DVD disc disk\$4) NEAR4 (section portion segment 'lead-in'))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/07 16:53
S216	156	S215 AND "725"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/07 16:54
S217	93	S216 AND ((@ad <= "19991013") or (@rlad <= "19991013"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/07 16:54
S218	2	"5530754".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/11 12:50
S219	11	("5920861" "6266481" "6305017" "6445871" "6446130").pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/11 12:51
S220	512	725/89,134,142.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/27 18:23
S221	495	S220 AND ((cache memory stor\$3 download\$3) WITH (movie content program TV video))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/27 18:24
S222	185	S221 AND ((@ad <= "19991013") or (@rlad <= "19991013"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/27 18:27

S223	270	S220 AND (((cache memory stor\$3 download \$3) NEAR5 (capacity space amount time \$5bytes MB KB)) WITH (movie content program TV video))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/27 18:28
S224	100	S223 AND ((@ad <= "19991013") or (@rlad <= "19991013"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/27 18:28
S225	282	S220 AND (((cache memory stor\$3 download\$3 buffer 'pre?load\$3') NEAR5 (capacity space amount time \$5bytes MB KB)) WITH (movie content program TV video))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/10 16:54
S226	106	S225 AND ((@ad <= "19991013") or (@rlad <= "19991013"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/27 19:06
S227	6	S220 AND (((cache memory stor\$3 download\$3 buffer 'pre?load\$3') NEAR8 (capacity space amount time \$5bytes MB KB) NEAR8 ('laser?dis?' 'optical? dis?' DVD 'digital video dis?')) WITH (movie content program TV video))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/27 19:05
S228	56	"725"/\$.ccls. AND (((cache memory stor\$3 download\$3 buffer 'pre?load\$3') NEAR8 (capacity space amount time \$5bytes MB KB) NEAR8 ('laser?dis?' 'optical? dis?' DVD 'digital video dis?')) WITH (movie content program TV video))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/27 19:05
S229	15	S228 AND ((@ad <= "19991013") or (@rlad <= "19991013"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/27 19:06
S230	624897	((("set top" cable TV user consumer viewer CATV) NEAR2 (box terminal device unit decoder receiver)) STT STB IRD	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/10 16:56

S231	415	((stor\$3 memory cache download\$3 buffer) WITH ((portion segment section) NEAR3 (preview 'lead-in' lead beginning first trailer)) WITH S230)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/10 16:58
S232	103	S231 AND ((@ad <= "19991013") or (@rlad <= "19991013"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/10 17:35
S233	9	S232 and "725"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/10 17:36
S234	13	S232 and "348"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/10 17:55
S235	192122	((program viewer TV channel interactive television CATV movie video user consumer) NEAR2 (guide listing grid schedule menu)) EPG IPG	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/10 21:42
S236	198472	((program electronic viewer TV channel interactive television CATV movie video user consumer) NEAR2 (guide listing grid schedule menu)) EPG IPG	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/11 22:59
S237	889503	((("set top" TV CATV viewer user cable interactive consumer integrated satellite) NEAR2 (receiver decoder box terminal device unit)) STB STT IRD	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/10 21:45
S238	8664	S236 WITH ((\$4cache memory stor\$3 RAM buffer retriev\$4) NEAR3 S236)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/11 23:01
S239	3190	S238 AND ((@ad <= "19991013") or (@rlad <= "19991013"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/11 23:00
S240	789	S239 AND "725"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/10 21:52

S241	1017	S239 AND "348"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/10 21:49
S242	423	S236 WITH ((\$4cache memory stor\$3 RAM buffer retriev\$4) NEAR5 (begin\$5 start\$3 "lead?in" trailer preview))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/11 23:03
S243	184	S242 AND ((@ad <= "19991013") or (@rlad <= "19991013"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/10 22:21
S244	45	S243 AND "725"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/10 21:52
S245	10	("5751282" "5758259" "5815145" "5818441" "5844552" "5850218" "6025837" "6028600" "6075526" "6169543"). PN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/12/10 21:55
S246	5	("6990676").URPN.	USPAT	OR	ON	2007/12/10 22:00
S247	291	725/89.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/10 22:01
S248	51	S247 AND ((@ad <= "19991013") or (@rlad <= "19991013"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/10 22:16
S249	146	725/134.ccls. AND ((@ad <= "19991013") or (@rlad <= "19991013"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/10 22:16
S250	124	S249 NOT S248	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/10 22:20

S251	130	(DVR PVR (personal NEAR2 recorder)) WITH ((\$4cache memory stor\$3 RAM buffer retriev\$4) NEAR5 (begin\$5 start\$3 "lead?in" trailer preview))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/10 22:23
S252	8	S251 AND ((@ad <= "19991013") or (@rlad <= "19991013"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/10 22:22
S253	196	(DVR PVR (personal NEAR2 recorder)) SAME ((\$4cache memory stor\$3 RAM buffer retriev\$4) NEAR5 (begin\$5 start\$3 "lead?in" trailer preview))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/11 15:50
S254	198572	((program electronic viewer TV channel interactive television CATV movie video user consumer) NEAR2 (guide listing grid schedule menu)) EPG I PG	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/11 22:59
S255	70426	S254 AND ((@ad <= "19991013") or (@rlad <= "19991013"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/11 23:01
S256	198572	((program electronic viewer TV channel interactive television CATV movie video user consumer) NEAR2 (guide listing grid schedule menu)) EPG I PG	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/11 23:01
S257	8667	S254 WITH ((\$4cache memory stor\$3 RAM buffer retriev\$4) NEAR3 S256)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/11 23:01
S258	70426	S255 AND ((@ad <= "19991013") or (@rlad <= "19991013"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/11 23:01
S259	3190	S257 AND ((@ad <= "19991013") or (@rlad <= "19991013"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/11 23:04
S260	789	S259 AND "725"/\$.cls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/11 23:04

S261	423	S256 WITH ((\$4cache memory stor\$3 RAM buffer retriev\$4) NEAR5 (begin\$5 start\$3 "lead?in" trailer preview))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/11 23:03
S262	184	S261 AND ((@ad <= "19991013") or (@rlad <= "19991013"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/11 23:04
S263	45	S262 AND "725"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/11 23:08
S264	2	"6990676".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/11 23:08
S265	23054	S264 preview	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/11 23:09
S266	1	S264 and preview	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/11 23:09
S267	117938	((program video TV CATV cable menu schedule interactive) NEAR2 (guide schedule listing grid menu)) EPG IPG	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/28 17:17
S268	54231	(broadcast TV CATV cable video S267) WITH ((cache memory stor\$3 download\$3 buffer 'pre?load\$3') NEAR8 (capacity space amount time \$5bytes MB KB))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/28 17:19
S269	65720	(broadcast TV CATV cable video S267) WITH ((cache memory stor\$3 download\$3 buffer 'pre?load\$3') NEAR4 (portion segment section preview 'lead-in' lead beginning first capacity space amount time \$5bytes MB KB))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/28 17:21

S270	1754309	((("set top" CATV TV television cable user consumer subscriber viewer) NEAR2 (box terminal device unit receiver decoder tuner)) or STB or STT or (receiver TV television))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/28 17:28
S271	9432	S269 WITH S270	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/28 17:29
S272	4581	S271 AND ((@ad <= "19991013") or (@rlad <= "19991013"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/28 17:29
S273	31047	(broadcast TV CATV cable video S267) NEAR4 ((cache memory stor\$3 download\$3 buffer 'pre?load\$3') NEAR3 (portion segment section preview 'lead-in' lead beginning first capacity space amount time \$5bytes MB KB))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/28 17:30
S274	9432	S271 WITH S270	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/28 17:31
S275	4581	S274 AND ((@ad <= "19991013") or (@rlad <= "19991013"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/28 17:31
S276	3644	S273 WITH S270	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/28 17:32
S277	1732	S276 AND ((@ad <= "19991013") or (@rlad <= "19991013"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/28 17:32
S278	294	S277 AND "725"/\$.CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/28 17:33
S279	10	("2004/0133907").URPN.	USPAT	OR	ON	2008/05/28 17:46

S280	2	("6018359" "5936659").PN.	USPAT	OR	ON	2008/05/28 17:47
S281	18	"6026371"	USPAT	OR	ON	2008/05/30 19:16
S282	17	("6026371").URPN.	USPAT	OR	ON	2008/05/30 19:19
S283	5	("5793966" "5829001" "5832487" "5845299" "5870552").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/05/30 19:19
S284	119631	((program video TV CATV cable menu television schedule interactive) NEAR2 (guide schedule listing grid menu)) EPG I PG	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/30 21:33
S285	65831	(broadcast TV CATV cable video S284) WITH ((cache memory stor\$3 download\$3 buffer 'pre?load\$3') NEAR4 (portion segment section preview 'lead-in' lead beginning first capacity space amount time \$5bytes MB KB))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/30 21:34
S286	1836455	((("set top" CATV TV television cable user consumer subscriber viewer) NEAR2 (box terminal device unit receiver decoder tuner)) or STB or STT or (receiver TV television VCR VTR videocassette PVR ((personal video) NEAR2 (cassette recorder)) DVR)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/30 21:39
S287	11429	S285 WITH S286	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/30 21:40
S288	5606	S287 AND ((@ad <= "19991013") or (@rlad <= "19991013"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/30 21:41
S289	685	S288 AND "725"/\$.CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/30 21:41
S290	157	S288 AND "709"/\$.CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/30 21:42

S291	26	sle-j\$4.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/30 22:02
S292	2	"7240359"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/30 22:06
S293	1905	S288 AND "348"/\$.CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/30 22:19
S294	1069	(broadcast TV CATV cable video television) WITH S284 WITH ((cache memory stor\$3 download\$3 buffer 'pre?load\$3') NEAR4 (portion segment section preview 'lead-in' lead beginning first capacity space amount time \$5bytes MB KB))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/30 22:21
S295	476	S294 WITH S286	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/30 22:22
S296	219	S295 AND ((@ad <= "19991013") or (@rlad <= "19991013"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/30 22:22
S297	6945	((broadcast television TV CATV cable video schedul \$2) NEAR2 (program\$5 show broadcast television TV CATV cable)) WITH ((cache memory stor\$3 download\$3 buffer 'pre?load \$3') NEAR4 (portion segment section preview 'lead-in' lead beginning first capacity space amount time \$5bytes MB KB))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/30 22:28
S298	3601	S297 WITH S286	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/30 22:28

S299	1425	S298 AND ((@ad <= "19991013") or (@rlad <= "19991013"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/30 22:28
S300	441	S299 AND "725"/\$.CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/30 22:29
S301	8	("5583560" "5734589" "6157929" "6327418" "6337715" "6449688" "6546426" "6728965"). PN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/05/30 22:34
S302	8	("6337715").URPN.	USPAT	OR	ON	2008/05/30 22:40
S303	18	("20020019979" "5848396" "5990881" "5991306" "6157948" "6298482" "6337715" "6357043" "6442755" "6445306" "6470497" "6532591" "6608633" "6614843" "6681395" "6751401" "6898801" "7032236").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/05/30 22:44
S304	3	("5864562" "5983366" "5990955").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/05/30 22:56
S305	14	("6157948").URPN.	USPAT	OR	ON	2008/05/30 22:56
S306	7	("20010034787" "20020010937" "5440334" "6157948" "6191782" "6615039" "6698020").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/05/30 22:56
S307	14	("20010016944" "4868866" "5130792" "5761438" "5886731" "5930493" "6002720" "6085235" "6115035" "6157948" "6344878" "6363380" "6493877" "6609251").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/05/30 22:59
S308	18	("20020019979" "5848396" "5990881" "5991306" "6157948" "6298482" "6337715" "6357043" "6442755" "6445306" "6470497" "6532591" "6608633" "6614843" "6681395" "6751401" "6898801" "7032236").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/05/30 23:01

S309	31	("20030149988" "5130792" "5191573" "5357276" "5530754" "5534941" "5583561" "5604528" "5619247" "5619249" "5701383" "5721815" "5790935" "5805154" "6065050" "6163272" "6177931" "6209024" "6229895" "6233389" "6233607" "6240553" "6253375" "6282207" "6314572" "6314573" "6314575" "6324338" "6532589" "6614987" "RE36801"). PN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/05/30 23:06
S310	1851919	((("set top" CATV TV television cable user consumer subscriber viewer) NEAR2 (box terminal device unit receiver decoder tuner converter)) or STB or STT or (receiver TV television VCR VTR videocassette PVR ((personal video) NEAR2 (cassette recorder)) DVR)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/18 21:46
S311	1692950	((cache memory \$2stor\$3 download\$3 buffer "pre? load\$3") NEAR4 (portion segment section preview "lead?in" lead beginning first capacity space amount time \$5bytes MB KB))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/18 21:49
S312	48188	S310 WITH S311	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/18 21:50
S313	3054	S312 WITH ((broadcast TV television CATV schedul\$3 NVOD "near video on demand" staggered) NEAR3 (program\$4 transmission broadcast show movie))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/18 21:53
S314	1086	S313 AND ((@ad <= "19991013") or (@rlad <= "19991013"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/18 21:53
S315	364	S314 AND "725"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/18 21:54

S316	2	S314 AND "725"/107,124-127.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/18 23:51
S317	7279	S311 SAME ((overcom\$3 avoid\$3 solve solution benefit advantage purpose) NEAR5 (hiatus trouble latency noise delay "shut? down" error))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/19 00:04
S318	7326	S311 SAME ((overcom\$3 avoid\$3 \$2solve solution benefit advantage purpose) NEAR5 (hiatus trouble latency noise delay "shut? down" error))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/19 00:05
S319	3510	S318 AND ((@ad <= "19991013") or (@rlad <= "19991013"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/19 00:05
S320	17	S319 AND "725"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/19 00:06
S321	137	(NVOD ("near" ADJ2 (video movie broadcast))) WITH ((multiple different separate another alternative option \$2) NEAR4 (channel path time))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/15 14:27
S322	91	S321 AND ((@ad <= "19991013") or (@rlad <= "19991013"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/15 14:28
S323	48	(NVOD ("near" ADJ2 (video movie broadcast))) WITH ((\$4cache \$4stor\$3 leader "lead\$1in") NEAR3 (segment portion section part\$3 frames content))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/15 14:49
S324	21	S323 AND ((@ad <= "19991013") or (@rlad <= "19991013"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/15 14:50
S325	2	("5826168").URPN.	USPAT	OR	ON	2009/01/15 14:52
S326	28	("5729280").URPN.	USPAT	OR	ON	2009/01/15 14:53

S327	1	"5884141".pn.	USPAT	OR	ON	2009/01/15 14:54
S328	1991717	((("set top" CATV TV television cable user consumer subscriber viewer) NEAR2 (box terminal device unit receiver decoder tuner)) or STB or STT or (receiver TV television VCR VTR videocassette PVR ((personal video) NEAR2 (cassette recorder)) DVR)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/12 13:58
S329	2160667	((("set top" CATV TV television cable user consumer subscriber viewer) NEAR2 (box terminal device unit receiver decoder tuner)) or STB or STT or (receiver TV television VCR VTR videocassette PVR ((personal video) NEAR2 (cassette recorder)) DVR)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/12 13:59
S330	5218	S329 WITH ((\$4cache memory stor\$3 RAM buffer retriev\$4) NEAR5 (begin\$5 start\$3 "lead?in" trailer preview))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/12 13:59
S331	2121	S330 AND ((@ad <= "19991013") or (@rlad <= "19991013"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/12 14:00
S332	174	S331 AND "725"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/12 14:00
S333	56	725/89.ccls. AND ((@ad <= "19991013") or (@rlad <= "19991013"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/12 14:02
S334	219	725/134,142.ccls. AND ((@ad <= "19991013") or (@rlad <= "19991013"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/12 16:06
S335	39	(NVOD "near video on demand" staggered) WITH (singelcast "single cast" ((dedicat\$3 exclusive) NEAR2 (channel path transmission)) unicast)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/12 17:52

S336	108	(NVOD "near video on demand" staggered) SAME (singelcast "single cast" ((dedicat\$3 exclusive) NEAR2 (channel path transmission)) unicast)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/12 17:53
S337	43	S336 AND ((@ad <= "19991013") or (@rlad <= "19991013"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/12 17:54
S338	17403	(broadcast multicast) SAME (singelcast "single cast" ((dedicat\$3 exclusive) NEAR2 (channel path transmission)) unicast)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/12 20:33
S339	14337	(broadcast multicast) WITH (singelcast "single cast" ((dedicat\$3 exclusive) NEAR2 (channel path transmission)) unicast)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/12 20:33
S340	2033	S339 AND ((@ad <= "19991013") or (@rlad <= "19991013"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/12 20:33
S341	50	(NVOD "near video on demand" ((linear\$2 staggered) NEAR2 (broadcast demand transmission))) SAME S338	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/12 20:35
S342	10	S341 AND ((@ad <= "19991013") or (@rlad <= "19991013"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/12 20:35
S343	56	725/89.ccls. AND ((@ad <= "19991013") or (@rlad <= "19991013"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/25 15:59
S344	1342	(NVOD (("near") ADJ2 (video movie broadcast))) WITH (VOD ((video movie program broadcast channel viewing) NEAR2 (demand)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/25 15:20
S345	566	S344 AND ((@ad <= "19991013") or (@rlad <= "19991013"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/25 15:20

S346	299	S345 AND "725"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/25 15:21
S347	4	("6990676" "5884141").pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/25 15:28
S348	16959	(broadcast multicast VOD (video NEAR2 demand)) WITH (singelcast "single cast" ((dedicat\$3 exclusive) NEAR2 (channel path transmission)) unicast)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/25 15:37
S349	2116	S348 AND ((@ad <= "19991013") or (@rlad <= "19991013"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/25 15:38
S350	181	S349 AND "725"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/25 15:38
S351	41	(NVOD (("near") ADJ2 (video movie broadcast))) WITH (singelcast "single cast" ((dedicat\$3 exclusive) NEAR2 (channel path transmission)) unicast)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/25 15:39
S352	13	S351 AND ((@ad <= "19991013") or (@rlad <= "19991013"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/25 15:39
S353	70	(NVOD (("near") ADJ2 (video movie broadcast))) SAME (singelcast "single cast" ((dedicat\$3 exclusive) NEAR2 (channel path transmission)) unicast)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/25 15:41
S354	23	S353 AND ((@ad <= "19991013") or (@rlad <= "19991013"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/25 15:41
S355	209	(Pause restart resume) WITH (singelcast "single cast" ((dedicat\$3 exclusive) NEAR2 (channel path transmission)) unicast)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/25 16:06

S356	27	S355 AND ((@ad <= "19991013") or (@rlad <= "19991013"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/25 16:07
S357	86	725/88-89.ccls. AND (singelcast "single cast" ((dedicat\$3 exclusive) NEAR2 (channel path transmission)) unicast)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/25 16:10
S358	23	S357 AND ((@ad <= "19991013") or (@rlad <= "19991013"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/25 16:10
S359	126	(NVOD "near video on demand" staggered) SAME (singelcast "single cast" ((dedicat\$3 exclusive) NEAR2 (channel path transmission)) narrowcast unicast)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/03/11 23:21
S360	45	S359 AND ((@ad <= "19991013") or (@rlad <= "19991013"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/03/11 23:21
S361	474	(Pause restart resume) WITH (singelcast "single cast" ((dedicat\$3 exclusive assign\$ allocat\$3) NEAR2 (channel path transmission)) unicast narrowcast)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/03/11 23:25
S362	474	(Pause restart resume) WITH (singlecast "single cast" ((dedicat\$3 exclusive assign\$ allocat\$3) NEAR2 (channel path transmission)) unicast narrowcast)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/03/11 23:26
S363	129	S362 AND ((@ad <= "19991013") or (@rlad <= "19991013"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/03/11 23:26
S364	4	(NVOD "near video on demand" staggered) AND S363	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/03/11 23:28

S365	7158	(NVOD "near video on demand" staggered) AND (singelcast "single cast" ((dedicat\$3 exclusive assign\$4 allocat\$3 particular limited) NEAR2 (channel path transmission)) narrowcast unicast)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/03/12 01:31
S366	2873	S365 AND ((@ad <= "19991013") or (@rlad <= "19991013"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/03/12 01:31
S367	222	S366 AND "725"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/03/12 01:32
S368	1076	(Pause restart resume) AND S366	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/03/12 01:33
S369	128	S368 AND "725"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/03/12 01:33
S370	25	(NVOD "near video on demand" staggered) SAME (singelcast "single cast" ((dedicat\$3 exclusive assign\$4 allocat\$3 particular limited) NEAR2 (channel path transmission)) narrowcast unicast) SAME (Pause restart resume)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/03/12 01:34
S371	13	S370 AND ((@ad <= "19991013") or (@rlad <= "19991013"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/03/12 01:34
S372	107	(NVOD "near video on demand" staggered) AND ((singelcast "single cast" ((dedicat\$3 exclusive assign\$4 allocat\$3 particular limited) NEAR2 (channel path transmission)) narrowcast unicast) SAME (Pause restart resume))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/03/12 01:37

S373	60	S372 AND ((@ad <= "19991013") or (@rlad <= "19991013"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/03/12 01:37
S374	94	725/88-89.ccls. AND (singelcast "single cast" ((dedicat\$3 exclusive) NEAR2 (channel path transmission)) unicast)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/05/02 14:10
S375	25	S374 AND ((@ad <= "19991013") or (@rlad <= "19991013"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/05/02 14:10
S376	3159	"725"/\$.ccls. AND (singelcast "single cast" ((dedicat\$3 exclusive) NEAR2 (channel path transmission)) unicast)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/05/02 14:14
S377	834	S376 AND ((@ad <= "19991013") or (@rlad <= "19991013"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/05/02 14:15
S378	2357876	((("set top" CATV TV television cable user consumer subscriber viewer) NEAR2 (box terminal device unit receiver decoder tuner)) or STB or STT or (receiver TV television))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/05/02 14:15
S379	161943	((program video TV CATV cable menu television schedule interactive) NEAR2 (guide schedule listing grid menu)) EPG I PG	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/05/02 14:26
S380	88289	(broadcast TV CATV cable video S379) WITH ((cache memory stor\$3 download\$3 buffer "pre?load\$3") NEAR4 (portion segment section preview "lead-in" lead beginning first capacity space amount time \$5bytes MB KB))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/05/02 14:26
S381	822	S377 AND S378	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/05/02 14:26

S382	14120	S379 AND S380	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/05/02 14:26
S383	527	S379 AND S381	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/05/02 14:27

5/ 7/ 11 10:55:21 AM**C:\ Documents and Settings\ RBrown1\ My Documents\ EAST\ Workspaces\ 9-687151.wsp**